

DECLARATION OF PERFORMANCE

StkhmH-CRP-2018/02/06-GB



PRODUCT

| | |
|------------------------|---|
| Product type | Fireplace with steel insert |
| Type designation | Stockholm High with N-21F Exclusive |
| Product identification | See serial number plate on product |
| Intended area of use | Heating of rooms in residential buildings |
| Fuel | Wood |

MANUFACTURER

| | |
|---------|---|
| Name | Nordpeis AS |
| Address | Gjellebekkstubben 11 3420 Lierskogen, Norway |

CHECKS

| | |
|-------------------|---|
| According to AVCP | System 3 |
| Standard | EN 13240:2001 / A2:2004 / AC:2007 |
| Test institute | Rein-Ruhr Feuerstatätten Prüfstelle, NB 1625 has checked declared performance and issued test report no. RRF- 40 18 4833, RRF - 29 21 5701, RRF - NS 21 5701 |

DECLARED PERFORMANCE

| Essential Characteristic | Performance | Harmonized technical specification |
|--|--|--------------------------------------|
| Reaction to fire | A1 | EN 13240:2001 / A2:2004 / AC:2007 |
| Minimum distances to combustible material | 0 mm rear 180 mm side other safety distances according product manual | |
| Risk of falling embers | Approved | |
| Emission from combustion: Carbon monoxide at 13% O ₂ Nitrogen oxides at 13% O ₂ Organic gaseous compounds at 13% O ₂ Particulate matter at 13% O ₂ | CO = 1125 mg / m ³ NOx = 69 mg / m ³ OGC = 63 mg / m ³ PM = 12 mg / m ³ | |
| Surface temperatures | Approved | |
| Cleanability | Approved | |
| Mechanical Durability | Approved | |
| Releases of Hazardous Substances | Approved | |
| Nominal output | P = 6,0 kW | |
| Flue gas temperature at nominal output | t _a = 293 °C | |
| Energy efficiency | η = 80,0 % | |

The undersigned is responsible for the manufacture and conformity with declared performance

Stian Varre, CEO Nordpeis AS
Lierskogen, 07.06.2024