

GENOP-200-CPR-2024/04/02-EN



### Type designation

Geneve P High

**Intended area of use**

## Space heating in residential buildings

**MANUFACTURER**

## Name \_\_\_\_\_

Nordpeis AS

## Address

Giellebekkstubben 11, 3420 Lierskogen, Norway

## CHECKS

According to AVCP

### System 3

### Standard

EN 16510-2-1:2022

## Test institute

Rhein-Ruhr Feuerstätten Prüfstelle, NB 1625  
has checked declared performance and issued  
test report no. RRF - 40 23 6470

Essential Characteristics		Performance	Harmonized technical specification
Load bearing capacity		120 kg	EN 16510-2-1:2022
Fire safety of installation to the chimney		T 400 G	
Minimum distances to combustible materials		d <sub>B</sub> = 0 mm d <sub>F</sub> = 0   0 mm d <sub>C</sub> = 20 mm d <sub>R</sub> = 0 mm d <sub>S</sub> = 1500 mm d <sub>L</sub> = 0   0 mm d <sub>P</sub> = 800   1500 mm s= 0 mm other safety distances according product manual	
Data at nominal heat output :			
Emissions :			
Carbon monoxide at 13% O <sub>2</sub>	CO:	1250 mg / m <sup>3</sup>	
Nitrogen oxides at 13% O <sub>2</sub>	NOx:	200 mg / m <sup>3</sup>	
Organic gaseous compounds at 13% O <sub>2</sub>	OGC:	120 mg / m <sup>3</sup>	
Particulate matter at 13% O <sub>2</sub>	PM:	40 mg / m <sup>3</sup>	
Flue gas outlet temperature	343 °C		
Minimum flue draught	12 Pa		
Flue gas mass flow	10,6 g/s		
Space heat output	10,5 kW		
Efficiency	78,0 %		
Seasonal space heating efficiency	68,0 %		
Water heat output	NPD		
Electric power consumption	NPD		
Data at part load heat output :			
Emissions :			
Carbon monoxide at 13% O <sub>2</sub>	NPD		
Nitrogen oxides at 13% O <sub>2</sub>	NPD		
Organic gaseous compounds at 13% O <sub>2</sub>	NPD		
Particulate matter at 13% O <sub>2</sub>	NPD		
Flue gas outlet temperature	NPD		
Minimum flue draught	NPD		
Flue gas mass flow	NPD		
Space heat output	NPD		
Efficiency	NPD		
Water heat output	NPD		
Electric power consumption	NPD		
Energy efficiency index	103		
Energy efficiency class	A		
Environmental sustainability	NPD		
Power consumption in standby mode	NPD		

Signed for and on behalf of the manufacturer by:

Stian Varre, CEO Nordpeis AS  
Lierskogen, 15.10.2025

Stian Varre, CEO Nordpeis AS  
Lierskogen, 15.10.2025